



Interra Retrofit Rail System Schedule			
DESCRIPTION	LENGTH/ID (in)	COUNT	PICTURE
Aluminum 1-7/8" OD Tubing	51-3/4"	2	
Aluminum 1-7/8" OD Tubing	36-1/2"	1	
Aluminum 1-7/8" OD Tubing	54-0"	1	
Aluminum 1-7/8" OD Tubing	35-1/2"	1	
Aluminum 1-7/8" OD Tubing	64-1/4"	1	
Aluminum 1-7/8" OD Tubing	51-0"	2	
Aluminum 1-7/8" OD Tubing	34-1/2"	1	
Aluminum 1-7/8" OD Tubing	52-3/8"	1	
Aluminum 1-7/8" OD Tubing	34-0"	1	
Aluminum 1-7/8" OD Tubing	63-1/2"	2	
Aluminum 1-7/8" OD Tubing	47-0"	1	
Aluminum 1-7/8" OD Tubing	45-3/4"	1	
Aluminum 1-7/8" OD Tubing	63-1/4"	1	
Aluminum 1-7/8" OD Tubing	45-1/2"	1	
Aluminum 1-7/8" OD Tubing	45-0"	1	
Aluminum 1-7/8" OD Tubing	72-0"	12	
Aluminum 1-7/8" OD Tubing	85-0"	4	
Aluminum Slip-on Fitting- Tee Connector	1-7/8" ID - Part A	8	
Aluminum Slip-on Fitting- 90 Degree Elbow Connector	1-7/8" ID - Part B	2	
Aluminum Slip-on Fitting- 90 Degree Elbow with Through-Hole	1-7/8" ID - Part C	4	

Aluminum Slip-on Fitting- Cross Through-Hole Connector	1-7/8" ID - Part D	6	
Aluminum Slip-on Fitting- 3- Way 90 Degree Elbow Connector	1-7/8" ID - Part E	4	
Safety Swing Gate	24"-40" Adjustable	1	